

The `visualtoks` Package, version 1.0

plante

June 21, 2025

In The \TeX book, Knuth demonstrates the concept of tokens with the following example:

For example, if the normal conventions of plain \TeX are in force, the text ‘`\hskip 36 pt`’ is converted into a list of eight tokens:

$$\{_1 \quad \boxed{\text{hskip}} \quad 3_{12} \quad 6_{12} \quad \lrcorner_{10} \quad p_{11} \quad t_{11} \quad \}_2$$

The subscripts here are the category codes, as listed earlier: 1 for “beginning of group,” 12 for “other character,” and so on. The `\hskip` doesn’t get a subscript, because it represents a control sequence token instead of a character token. Notice that the space after `\hskip` does not get into the token list, because it follows a control word. (p. 38)

The same style of token display is used several times in the \TeX book. It would be useful to be able to generate the display automatically for an arbitrary list of tokens, for pedagogical or debugging purposes. This package provides the `\visualtoks` command which does exactly that.

Usage

Usage: `\visualtoks{<token list>}`.

This package may be used in plain \TeX or \LaTeX by `\input{visualtoks}`. The ϵ - \TeX extensions are required for the `\detokenize` primitive.

`<token list>` must be balanced with respect to explicit braces, and must not contain the token `\visualtoks@cycle@nil`. It is assumed that `{` is the only character with category code 1 (beginning of group).

The horizontal separation between displayed tokens may be configured by the dimension register `\visualtokskip`. The default value is 1em.

Samples

- `\visualtoks{\def \macro {abc #1\egroup}}` gives
`def macro #6 112 {1 a11 b11 c11 \l10 #6 112 egroup }2.`
- `\visualtoks{$$\halign{&##\hfil\crcr}$$\par}` gives
`$3 $3 halign {1 &4 #6 #6 hfil crcr }2 $3 $3 par.`
- Unbalanced `\if...` tokens:
`\visualtoks{\ifnum\iffalse{\fi'} = 0\else}` gives
`ifnum iffalse {1 fi '12 }2 \l10 =12 \l10 012 else.`
- To demonstrate how \TeX tokenizes consecutive spaces:
`\makeatletter \edef\temp{{\l\l\l\l}}{\@spaces}}`
`\expandafter\visualtoks\expandafter{\temp}` gives
`{1 \l10 }2 {1 \l10 \l10 \l10 \l10 }2.`
- To demonstrate the `\lowercase` technique:
`\begingroup`
`\lccode'&=' $ \lccode'#=' $ \lccode'^=' $ \lccode'_'=' $`
`\lccode'_'=' $ \lccode'A=' $ \lccode'?=' $ \lccode'~=' $`
`\lowercase{\endgroup\def\temp{&##^_A?~}}`
`\expandafter\demotokens\expandafter{\temp}` gives
`$3 $4 $6 $7 $8 $10 $11 $12 $13.`

License

This package is copyright © 2025 plante, and released under the \LaTeX Project Public License (LPPL) 1.3c.

Repository

The upstream repository of this package may be found at

<https://github.com/plante3/visualtoks/tree/main>.